

Water Veins and Faults

Cosmic influences or the Earth's magnetic field cause the lattice networks described above. There may be quite a few types of radiation from the Earth's interior in addition to terrestrial radiation generated by underground running water (AQUIFERS / WATER VEINS), ROCK FRACTURES or FAULTS within the Earth (geologic factors).

Rock Fractures

Cracks and crevices in the rock of our inner Earth are called ROCK FRACTURES. They openings and passages that allow natural terrestrial radiation to reach the surface easily. Different rock layers have different fields of electrical voltages. When a rock breaks, it causes these layers to move, which results in higher concentrations of electromagnetic radiation on the Earth's surface which creates GEOPATHIC STRESS ZONES.

Rock Faults

Gigantic volcanoes and tectonic movements of glacial rock may be responsible for FAULTS that emit earth radiation, which, under certain circumstances, can cause disease.

FAULTS are interconnected layers of earth that extend over several hundred meters. Caused by volcanoes or by glaciers during the Ice Age, FAULTS usually occur in or adjacent to medium and high mountains. When different layers of rock merge and react to one another, the interaction of varying electrical conditions and terrestrial radiation creates intense energetic influences. One will be confronted again with GEOPATHIC STRESS ZONES.

Based on what individuals have reported experiencing , one can believe that these influences manifest themselves primarily as psychological traits or tendencies. For example, someone who lives on a fault may have be inclined toward depression or aggressive behavior.