

IFVBESA

Information is crucial

P50 3.0.1.2 BESA Detail project

SD 2 Food Protect

IPC Europe UG

International professionell association for BESA ▌ZVR Nr. 975047937
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee ▌Österreich - Austria
Tel.: +43 – 664 – 73152899 ▌E-Mail: info@ifvbesa.at

Project P50 3.0.1.2

for BESA expert opinion

bioenergetic system analysis
within the framework of the BESA quality seal
on the efficacy of the product "SD 2 Food Protect“
for denatured food products
SN-213509-NH - Fa. IPC Europe UG
D-77866 Rheinau
Designated as "test object" in the test

International professionell association for BESA ▌ZVR Nr. 975047937
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee ▌Österreich - Austria
Tel.: +43 – 664 – 73152899 ▌E-Mail: info@ifvbesa.at

Client

company
IPC-Europe UG
Norbert Heuser
Schwarzwaldstr. 48
D 77866 Rheinau

Project participants and responsible persons:

Project leader: Wolfgang Hans Albrecht, president and scientific director of the IFVBESA

Test person: Eva Krankl, vice president and deputy scientific director of the IVFBESA

Test subject: 10 anonymous subjects, in the detail project P50 3.0.1 until P50 3.0.4

These are divided as follows:

- 4 subjects of different metabolic types in detail project P50 3.0.1 and its subprojects P50 3.0.1.1 - P50 3.0.1.4
- 2 subjects P50 3.0.2 and P50 3.0.3
- 4 subjects P50 3.0.4 (P50 3.0.4 P1 to P50 3.0.4 P4)

other project participants of the company: none

Project location:

At the IFVBESA site (field test according to detailed information)
Main street 1
A 4861 Kammer/Schörfling

Date: 13.08.2020 until 17.09.2020

Project duration: 34 days

International professionell association for BESA ▌ZVR Nr. 975047937
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee ▌Österreich - Austria
Tel.: +43 – 664 – 73152899 ▌E-Mail: info@ifvbesa.at

Content

BESA Legend **for the interpretation of BESA measurement results**.....5
Basics of the research project creation P50 3.0 6
Research support services of the IFVBESA - BESA reference tests 7
Research project description (detailed projects) 7
Test procedure 12
All measurements at a glance 31
General information about the test result 32
Authorized Summary 33

Important notes:

Der The client owns the right to exploit this project report. Irrespective of this, this report represents intellectual property of IFVBESA as the contractor. The contractor is entitled to use this project report for other purposes if this does not violate the client's data protection or confidentiality.
On the other hand, the project report, with the exception of the "authorized abridged version", may not be changed or passed on in an abridged form without the consent of the IFVBESA.
The order for this project refers to bioenergetically measurable values and their interpretation according to the guidelines of BESA or the IFVBESA.
The maintenance of the quality of the tested products as well as their regular control is the task and responsibility of the client.
Investigation of the manufacture, mechanism of action or interpretations of the Client's products to third parties is not the responsibility or task of the Contractor. Video recordings may be made only with the permission of IFVBESA.

International professionell association for BESA ▌ZVR Nr. 975047937
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee ▌Österreich - Austria
Tel.: +43 – 664 – 73152899 ▌E-Mail: info@ifvbesa.at

BESA Legend **for the interpretation of BESA measurement results**

The measured value of 50 on the tested meridian represents an optimal energetic state in this organ or its subordinate and superordinate levels. Also measured values in the range of 50 to max. 70 still count as a neutral and balanced energy status. The organism is able to regulate irritations of the system (wrong environmental signals) very well.

Readings above 70 to 100 represent the inflammatory range or a so-called energy surplus in response to the irritation of the system by environmental signals corresponding to it.
After reaching the maximum values, the energy state tilts into the degenerative (blue) range.

Readings from below 50 to near 0 represent the so-called degenerative measurement range or a lack of energy in response to the stimulation of the system by environmental signals corresponding to it.

**Measured values represented by a so-called pointer drop of more than 3 scale lines indicate a total deregulation.
The influence of certain environmental signals then leads to such strong system overloads, which can only be harmonized by corresponding new signals.**

BESA Key figures:

up 0,79	very deep energetic regulation disorder (SSD) energy deficiency
0,8 to 1,19	strong energetic regulation disorder (SD) degeneration/lack of energy
1,2 to 1,59	energetic regulation disorder (D) degeneration/energy deficiency
1,6 to 1,99	degenerative transition area (DÜ)
2,0 to 2,39	optimal regulation (OR)
2,4 to 2,79	in the regulation (R)
2,8 to 3,19	partiell inflammation = regional energy excess (PE)
up 3,2	total inflammation = strong generell energy excess (TE)

International professionell association for BESA ▌ZVR Nr. 975047937
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee ▌Österreich - Austria
Tel.: +43 – 664 – 73152899 ▌E-Mail: info@ifvbesa.at

Basics of the research project creation P50 3.0

The international association for bioenergetic system analysis was commissioned by Mr. Norbert Heuser to test or prove the effect of the test object, the "SD 2 Food Protect" by means of bioenergetic system analysis (BESA). The testing took place independently of the subjective feeling of the respective test persons. The test object was presented as follows according to the information provided by the contracting company:

Description of the test object "SD 2 Food Protect" by Mr. Heuser:

The test object shall be practically and factually suitable to bring toxically contaminated - denatured food back to its norm.
A chip with a corresponding effective radius serves as the storage location for the information.
With the software and hardware developed by the client and tested for years, it should be possible to program information onto product materials, which then take effect at the point of use, i.e. the food. The effectiveness of such information has been proven by numerous products developed by the client's team and in use for decades.
This detailed project P50 3.0 is specifically concerned with proving the effectiveness of the test object against toxically contaminated foodstuffs on test persons. The test object should therefore be practically and factually suitable for restoring foodstuffs contaminated by toxic environmental influences (artificial and natural) to their normal state.

Generell to the information:

The information transfer takes place from the hyperspace of the test object to the hyperspace of biological objects (humans, animals, plants). From there, the information reaches the reference space or the energy space via so-called interaction channels. This is a union of, among other things, all organs and energy forms in the biological object. There, the information of the program can dynamically materialize and thus change current states. The changes can appear in the form of neutralization or harmonization of disturbances, dissolution of problems, blockages and disharmonies.

International professionell association for BESA ▌ZVR Nr. 975047937
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee ▌Österreich - Austria
Tel.: +43 – 664 – 73152899 ▌E-Mail: info@ifvbesa.at

Research support services of the IFVBESA - BESA reference tests

The test object is tested according to the request of the client within the framework of the valid conditions of the IFVBESA for the award of quality seals. Basically, seals of approval are awarded in three categories (3,4 or 5 stars) depending on the significance of the test results, taking into account all tests of a project.
For the test object it should be determined whether toxic stress factors such as spraying agents (pesticides, herbicides, fungicides, etc.), flavor enhancers, shelf life substances, dyes, etc. can be neutralized by its application to food and thus negative pathological conditions can be replaced by positive conditions.
The developer of the test object, Mr. Norbert Heuser, assumes that it is capable of transforming toxic environmental information into life-enhancing information.
This was questioned in the following commissioned tests of the project P50 3.0 on the test persons.

Research project description (detailed projects)

The following must be stated at the outset of this project:

Each food can have a differentiated effect on people. This is due to the fact that the constitution of people is completely different. Each person has his or her own signature, which shapes his or her metabolism.

Therefore, in this BESA project no food intolerances were determined, but only the effect of the test object on certain foods was questioned.
To facilitate the overview, this research project P50 3.0 was divided into 4 detailed projects, P50 3.0.1 to P50 3.0.4
The detailed projects P50 3.0.1 as well as P50 3.0.4 were again divided into 4 detailed projects (P50 3.0.1.1 to P50 3.0.1.4) as well as into (P50 3.0.4 P1 to P50 3.0.4 P4).

With regard to the detailed projects P50 3.0.1.1. to P50 3.0.1.4, the following should be noted:

A certain food has a different effect on each person. This is due to the fact that the constitution of people, according to its signature (immune system - metabolism) is different.
This constitution is roughly divided based on the following different metabolic types.
Roughly we divide between the following types as follows:

1. metabolic influence by the blood groups
2. metabolic influence by the autonomic nervous system
3. metabolic influence by the combustion system

4. metabolic influence by the gland type
5. metabolic influence by the energetic signature

In advance, a brief explanation of each metabolic type.

about type 1

Due to the evolutionary development of man, certain foods can be assigned to the respective blood groups (antigens) that have developed from them.
These are the blood groups 0/A/B/AB
Depending on the blood group, our body (immune system - immunoglobulins) reacts differently to certain foods, for example with intolerance reactions or by supporting the metabolism.

about type 2

The autonomic nervous system influences metabolism and is divided into two types:

- sympathetic
- parasympathetic nervous system

This results in two metabolic types, each with different nutrient requirements.
However, this balance is strongly influenced by the situation in the autonomic nervous system and the combustion system.
In most people, either the sympathetic or the parasympathetic branch is dominant by nature.

about type 3

The combustion system is a control system that influences the rate of burning of carbohydrates in the body.
it consists of:

- fast-burner (glucose type)
- slow burner (beta type).

It can be assumed that both types do not produce enough energy from the food supplied.

- Burning is too fast: To curb fast burning, the diet should basically be structured high in fat and protein - low in carbohydrates
- Burning is too slow: If the burn is too slow, the diet should basically be rich in carbohydrates and low in fat and protein.
  It is a fact that both types of combustion are not able to utilize the acetyl-co enzyme A (this is an important metabolite - converter, which binds the sugar into the citrate cycle) in the citric acid cycle optimally.
- the glycotype does not produce enough of it (fast burners)

- the beta type produces enough of it, but cannot fully convert it into energy because it lacks oxal acetate to do so (slow burners)

about type 4

The glandular system plays a role above all when it comes to the question of which foods lead to overweight/underweight and which can help to regulate overweight/underweight in a targeted and lasting way.
We generally distinguish between the following gland types:

- Pancreas type
- Thyroid type
- Liver type

about type 5

The energetic signature of a person gives information in relation to his imprints. Just such imprints represent an elementary digestive blockage in the metabolic system.
In these detailed projects special attention was paid to the metabolic types type 1 to type 4, they represent the most manageable groups.
In these 4 detailed projects the metabolic types (type 1 - type 4) were confronted with the same food. The aim was to determine whether the test object is able to prepare the food for all 4 metabolic types in the same way.
In this way, an important reference area could also be illuminated from a nutritional science point of view.

Toxic substances in the food

The following toxic substances in food should be questioned in relation to the effectiveness of the test object and raised by it to a natural energy standard value:

- basically denatured foods
- hormone-altered foods
- food polluted by bar codes on packages
- food contaminated with pesticides
- foods contaminated by radiation
- foods contaminated by added colors
- Food contaminated by flavor enhancers
- Foodstuffs contaminated by microwaves
- Foodstuffs contaminated by chemical preservatives or preservatives
- food contaminated by freezing damage

The reason for this project was to prove the functionality of the test object by test results, which were obtained by confronting test persons with exactly selected EMSF in order to significantly prove and compare their reactions without the test object and with the test object. Subjects were contacted, i.e., associated, with precisely

predetermined food items in one or more BEFORE measurements and the AFTER measurement.
The BEFORE measurements were made without the test subject.
The AFTER measurements were made with the test object. These BESA testings should give an indication about the extent of the mode of action of the test object especially about its holistic orientation.

The question in each AFTER test: "Is the test object suitable and able to harmonize or neutralize the so perceived negative effects of the food on the test person"? The appropriately designed tests were to provide information on this by comparing the preliminary measurements without the test object with the test results of the post-test measurements carried out using the test object?

Information about this should be provided by the appropriately designed tests by comparing the preliminary measurements without the test object with the test results of the follow-up measurements performed using the test object.

Metabolic type proband 2
Blood group: 0 positive
Gland type: liver - burn - beta type
Nerve type: Sympathetic

The concern of the development team was to determine whether the test object, as noted in the product description, is capable of harmonizing the bioenergetic deregulations resulting from toxic stresses in the food and, subsequently, in the meridian system of the test subject.

Condition:

The BESA basic tests were performed in the premises of IFVBESA.
The BESA tests are performed under the aforementioned laboratory conditions, at room temperature 20°Celsius on a natural wooden floor.
The test person is deswitcht (made testable) before the BESA Basic Status test or the test possibilities are questioned with the test persons.

Pos.1: BESA 1 testing (bioenergetic status) on test person 2
Pos.2:B ESA 2 testing when the test person is confronted with the listed foodstuffs.
Pos.3: testing with simultaneous confrontation of the test person with all foods and the test object
Pos.4: Evaluation of the results in the respective detailed projects and summary in a corresponding BESA report.

Below is an excerpt of food from the complex used:

1. 1. apple ELSTAR without bar code, conventional cultivation.
2. 2. organic butter from pasteurized cow's milk
3. 3. cheese cold cuts - Gouda, Edam, Moosdamer from pasteurized cow's milk
4. 4. ribbon noodles (DE SPAR) from wheat semolina

to food 1

Apple magpie without bar code from the nearby region - conventional cultivation

to food 2

BIO Butter cow's milk pasteurized (ultra-heated)

to food 3

Cheese cold cuts

Made from pasteurized (ultra-high temperature) milk. Consisting of: Gouda, Edam, Moosdam.

Ingredients: Cow's milk, salt non-iodized, microbial laab, cheese cultures.

Ingredients per 100g

Calorific value	263 kcal
Fat	16g
thereof saturated fatty acids	11g
Carbohydrates	< 0,1g
thereof sugar	< 0,1g
Dietary fiber	0g
Protein	25g
Salt	1,8g

to food 4

Ribbon noodles:

Conventional cultivation, origin of wheat raw material unknown.

Ingredients: Durum wheat semolina + eggs 28%, may contain traces of soy.

Wheat cultivation EU/non-EU, milled in Italy

Nutritional values per 100g:

Calorific value	366 kcal
fat	4,3g
saturated fatty acids	1,4g
Carbohydrates	66g
thereof sugar	2,7g
Dietary fiber	2,7g
Proteins	15g
Salt	0,13g

Procedure and specifications for the implementation

1. **BESA-baseline measurement of the test person** at all previously determined measurement points (TING points) serve to determine the actual condition. The results were determined exactly according to the BESA specifications and documented via the BESA graphs..

2. the **test person was brought into contact** with the foodstuffs depending on the project, whereby the sequence discussed with the client was regarded as the specification and was adhered to accordingly. In order to be able to determine the current energy status, the measuring points mentioned in point 1 were measured in the same order and for the same duration for each test of foodstuffs. The results were determined exactly according to the BESA specifications and documented via the BESA graphs.

3. **Activation of the testobject**

3.1 **Activation of the test object on the food** was performed according to the client's instructions.

3.2 The test persons were brought into contact with the activated foodstuffs. The measurement points mentioned in point 1 were measured in the same order and time duration to determine the current energy state. The results were determined exactly according to the BESA specifications and documented via the BESA graphs.

Test procedure

BESA 1 BASIC testing as a status:
In the first step, basic bioenergetic testing (bioenergetic status) is performed on the meridian end points (TING points) of the subjects.

BESA 2 testing of the respective foodstuffs listed
In the further course of the BESA test, the foods are tested on the test person.
The question is, how does the meridian system react, how does the energetic status of the test person change after confrontation with the respective, always the same food. What are the differences compared to the BESA 1 basic testing BEFORE?

BESA 3 testing of the test subject against the listed foodstuffs
In this BESA test, all the foods already tested are introduced into the measuring circuit together with the test object.
Now the question is: How does the meridian system of the test person react within the area of effect of the test object when all the foods already tested are used at the same time?

International professionell association for BESA ▌ZVR Nr. 975047937
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee ▌Österreich - Austria
Tel.: +43 – 664 – 73152899 ▌E-Mail: info@ifvbesa.at

Proband 2

BESA 1 Testing BASIC – BEFORE

BESA 1 Testing BASIC BEFORE as status

Eva Krankl performs a BESA basic test on the test person.
All BESA tests are performed at the TING points (40 nail fold points on the fingers and toes).

Goal: The creation of a basic test (status) as a representation of the energetic initial situation.

BESA test evaluation P5 3.0.1.2 from **01-07-2020 at 16:12 until 16:20** (8 minutes) page 14 and 15

Rresult:
90 % in the blue area
10 % in the green area

Conclutiona: As the graphs and pie chart show, many measurement results were in the blue, degenerative range (energy deficiency).

International professionell association for BESA ▌ZVR Nr. 975047937
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee ▌Österreich - Austria
Tel.: +43 – 664 – 73152899 ▌E-Mail: info@ifvbesa.at

Übersichtsdiagramm der BESA-Messungen:



Rot: Werte mit Zeigerabfall
Zeigerabfall größer als 2 ()

Gelb: Hohe Werte ohne Zeigerabfall
Werte über 70 ()

Blau: Niedrige Werte
Werte kleiner als 50 (90%)

Grün: Normalwerte
Werte zwischen 50 und 70 (10%)

BESA-Basismessung:

+++: Zeigerabfall > 15 Skt.
++: Zeigerabfall 6-15 Skt.
+: Zeigerabfall 3-5 Skt.

T: Totale Entzündung (89 Skt.)
P: Partielle Entzündung (70-89 Skt.)

D: Degeneration (< 50 Skt.)
Normalwerte: (50-70 Skt.)

Element: Lu - Ha - Di - BD

0 10 20 30 40 50 60 70 80 90 100		Rechts	Links
Lunge		Rechts	Links
	Lu 1 (11.) Parenchym	52/0	42/1
Haut		Rechts	Links
	Ha 1 (1.) Unterkörper	24/0	25/2
Dickdarm		Rechts	Links
	Di 1 (1.) Colon transv./sigm.	41/0	37/1
Bindegewebsdeg.		Rechts	Links
	BD 1 (1.) Bauch	12/0	14/1

Element: Ma - ND - PM - OD

0 10 20 30 40 50 60 70 80 90 100		Rechts	Links
Magen		Rechts	Links
	Ma 1 (45.) Pylorus/Körper	9/1	10/0
Nervendeg.		Rechts	Links
	ND 1 (1.) Lumb./Sakral.	41/1	41/1
Pankreas-Milz		Rechts	Links
	PM 1 (1.) Eiw./w.Pulpa	21/2	39/1
Organdeg.		Rechts	Links
	OD 1 (1.) Bauchr./Becken	34/0	24/1

Element: Bl - Ly - Ni - Al

0 10 20 30 40 50 60 70 80 90 100		Rechts	Links
Blase		Rechts	Links
	Bl 1 (67.) Körper	40/0	34/0

International professionell association for BESA ▌ZVR Nr. 975047937
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee ▌Österreich - Austria
Tel.: +43 – 664 – 73152899 ▌E-Mail: info@ifvbesa.at

BESA-Basismessung:

+++: Zeigerabfall > 15 Skt.
++: Zeigerabfall 6-15 Skt.
+: Zeigerabfall 3-5 Skt.
T: Totale Entzündung (89 Skt.)
P: Partielle Entzündung (70-89 Skt.)
D: Degeneration (< 50 Skt.)
Normalwerte: (50-70 Skt.)

Element: Bl - Ly - Ni - Al



	Rechts	Links
Lymphe		
Ly 1 (1.) Tons.Palat.	62/0	47/2
Niere		
Ni 1 (1.) Becken	14/1	20/1
Allergie		
Al 1 (1.) unt.Körperab.	25/1	33/0

Element: Gbl - GD - Le - fD



	Rechts	Links
Gallenblase		
Gbl 1 (44.) Duct.choled./hep.	54/1	28/1
Gelenkdeg.		
GD 1 (1.) unt.Extrem.	24/1	15/0
Leber		
Le 1 (1.) Zentralvenen	39/0	38/0
fettige Deg.		
fD 1 (1.) Bauchraum	55/0	40/0

Element: He - Dü



	Rechts	Links
Herz		
He 1 (9.) Pulm.kl./Aortenkl.	44/1	35/1
Dünndarm		
Dü 1 (1.) Ileum	39/1	17/2

Element: Kr - 3E



	Rechts	Links
Kreislauf		
Kr 1 (9.) SMP Arterien	32/0	29/1
Endokrinum		
3E 1 (1.) Keimdr./NNI	13/1	34/0

International professionell association for BESA ▌ZVR Nr. 975047937
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee ▌Österreich - Austria
Tel.: +43 – 664 – 73152899 ▌E-Mail: info@ifvbesa.at

BESA 2 Testing BEFORE

BESA 2 testing BEFORE, Apple – Elstar

The apple comes from regional (conventional) agriculture in Austria, close to the location of the BESA Institute. In the further course of the BESA test, this apple is introduced into the measuring circuit and tested on the test person.

Goal: How does the meridian system of the test person react to the apple in the measuring circuit? What are the differences compared to the BESA 1 basic test BEFORE?

BESA test evaluation P50 3.0.1.2 from **15-08-2020 at 13:25 until 13:36** (11 minutes) page 17 and 18

Result: The measurement result indicated a worsening of the energetic situation of the test person compared to the BESA Basis test.

82 % in the blue area
17 % in the red area
1 % in the yellow transition area

Conclution: As the following graphs show, many measurement points that were still in the blue degenerative range (energy deficiency) in BESA 1 are now in the red measurement range. This currently represents an intolerance with regard to the tested food, the ELSTAR apple.
The question is, what blockage (imprinting?) can be identified in the test person that makes the apple intolerable for him? Or is the subject merely reacting so aggressively to the stress factors of the apple?
In this case, it is clear that the tested apple from conventional agriculture has an additional energy-depleting effect on the test person.
The subsequent comparisons of the BESA graphs confirm the changes accordingly.

International professionell association for BESA ▌ZVR Nr. 975047937
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee ▌Österreich - Austria
Tel.: +43 – 664 – 73152899 ▌E-Mail: info@ifvbesa.at

Übersichtsdiagramm der BESA-Messungen:



Rot: Werte mit Zeigerabfall
Zeigerabfall größer als 2 (17%)

Gelb: Hohe Werte ohne Zeigerabfall
Werte über 70 ()

Blau: Niedrige Werte
Werte kleiner als 50 (82%)

Grün: Normalwerte
Werte zwischen 50 und 70 ()

BESA-Basismessung:

+++: Zeigerabfall > 15 Skt.
++: Zeigerabfall 6-15 Skt.
+: Zeigerabfall 3-5 Skt.

T: Totale Entzündung (89 Skt.)
P: Partielle Entzündung (70-89 Skt.)

D: Degeneration (< 50 Skt.) Normalwerte: (50-70 Skt.)

Element: Lu - Ha - Di - BD

0 10 20 30 40 50 60 70 80 90 100		Rechts	Links
	Lunge	Rechts	Links
	Lu 1 (11.) Parenchym	36/1	12/0
	Haut	Rechts	Links
	Ha 1 (1.) Unterkörper	16/2	8/0
	Dickdarm	Rechts	Links
	Di 1 (1.) Colon transv./sigm.	22/0	13/4 +
	Bindegewebsdeg.	Rechts	Links
	BD 1 (1.) Bauch	11/2	19/1

Element: Ma - ND - PM - OD

0 10 20 30 40 50 60 70 80 90 100		Rechts	Links
	Magen	Rechts	Links
	Ma 1 (45.) Pylorus/Körper	25/1	17/4 +
	Nervendeg.	Rechts	Links
	ND 1 (1.) Lumb./Sakral.	18/3 +	11/0
	Pankreas-Milz	Rechts	Links
	PM 1 (1.) Eiw./w.Pulpa	9/0	19/0
	Organdeg.	Rechts	Links
	OD 1 (1.) Bauchr./Becken	19/3 +	16/1

Element: Bl - Ly - Ni - Al

0 10 20 30 40 50 60 70 80 90 100		Rechts	Links
	Blase	Rechts	Links
	Bl 1 (67.) Körper	44/1	22/0

International professionell association for BESA ▌ZVR Nr. 975047937
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee ▌Österreich - Austria
Tel.: +43 – 664 – 73152899 ▌E-Mail: info@ifvbesa.at

BESA-Basismessung:

+++: Zeigerabfall > 15 Skt.
++: Zeigerabfall 6-15 Skt.
+: Zeigerabfall 3-5 Skt.
T: Totale Entzündung (89 Skt.)
P: Partielle Entzündung (70-89 Skt.)
D: Degeneration (< 50 Skt.)
Normalwerte: (50-70 Skt.)

Element: Bl - Ly - Ni - Al

	Rechts	Links
Lymphe		
Ly 1 (1.) Tons.Palat.	37/0	31/1
Niere		
Ni 1 (1.) Becken	52/0	48/1
Allergie		
Al 1 (1.) unt.Körperab.	39/0	47/0

Element: Gbl - GD - Le - fD

	Rechts	Links
Gallenblase		
Gbl 1 (44.) Duct.choled./hep.	49/1	40/1
Gelenkdeg.		
GD 1 (1.) unt.Extrem.	45/1	54/0
Leber		
Le 1 (1.) Zentralvenen	62/1	53/1
fettige Deg.		
fD 1 (1.) Bauchraum	44/0	43/1

Element: He - Dü

	Rechts	Links
Herz		
He 1 (9.) Pulm.kl./Aortenkl.	45/1	52/1
Dünndarm		
Dü 1 (1.) Ileum	50/1	38/0

Element: Kr - 3E

	Rechts	Links
Kreislauf		
Kr 1 (9.) SMP Arterien	38/0	47/1
Endokrinum		
3E 1 (1.) Keimdr./NNI	44/1	31/1

International professionell association for BESA ▌ZVR Nr. 975047937
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee ▌Österreich - Austria
Tel.: +43 – 664 – 73152899 ▌E-Mail: info@ifvbesa.at

BESA 3 Testing BEFORE

BESA 3 Testing BEFORE, BIO Butter

This organic butter comes from regional (organic) agriculture in Austria, close to the location of the BESA Institute. In the further course of the BESA test, this organic butter is introduced into the measuring circuit and tested on the test person.

Goal: How does the meridian system of the test person react to the organic butter in the measuring circuit? What are the differences compared to the BESA 1 - basic test BEFORE?

BESA test evaluation P50 3.0.1.2 from **15-08-2020 at 13:37 until 13:42** (5 minutes) page 20 und 21

Result: Interestingly, the measurement result also showed a worsening of the energetic situation in the test person compared to the BESA Basis test.

85 % in the blue area
2 % in the green area
12 % in the red area
3 % in the yellow area

Conclution: As the following graphs show, many measurement points that were still in the blue degenerative range (energy deficiency) in BESA 1 are now in the red measurement range. As in the BESA 2 test, this represents an intolerance to the BIO butter. This situation is interesting because it is a BIO product.
This means that this organic butter, coming from organic farming, draws additional energy from the test person's system, the butter further weakens the test person's energy, so to speak.
The subsequent comparisons of the BESA graphs confirm the changes accordingly.

International professionell association for BESA ▌ZVR Nr. 975047937
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee ▌Österreich - Austria
Tel.: +43 – 664 – 73152899 ▌E-Mail: info@ifvbesa.at

Übersichtsdiagramm der BESA-Messungen:



Rot: Werte mit Zeigerabfall
Zeigerabfall größer als 2 (12%)

Gelb: Hohe Werte ohne Zeigerabfall
Werte über 70 ()

Blau: Niedrige Werte
Werte kleiner als 50 (85%)

Grün: Normalwerte
Werte zwischen 50 und 70 (2%)

BESA-Basismessung:

+++: Zeigerabfall > 15 Skt.
++: Zeigerabfall 6-15 Skt.
+: Zeigerabfall 3-5 Skt.

T: Totale Entzündung (89 Skt.)
P: Partielle Entzündung (70-89 Skt.)

D: Degeneration (< 50 Skt.)
Normalwerte: (50-70 Skt.)

Element: Lu - Ha - Di - BD

0 10 20 30 40 50 60 70 80 90 100		Rechts	Links
Lunge		Rechts	Links
	Lu 1 (11.) Parenchym	46/0	23/0
Haut		Rechts	Links
	Ha 1 (1.) Unterkörper	28/3 +	18/2
Dickdarm		Rechts	Links
	Di 1 (1.) Colon transv./sigm.	40/2	15/0
Bindegewebsdeg.		Rechts	Links
	BD 1 (1.) Bauch	25/3 +	30/2

Element: Ma - ND - PM - OD

0 10 20 30 40 50 60 70 80 90 100		Rechts	Links
Magen		Rechts	Links
	Ma 1 (45.) Pylorus/Körper	30/2	29/4 +
Nervendeg.		Rechts	Links
	ND 1 (1.) Lumb./Sakral.	39/1	23/1
Pankreas-Milz		Rechts	Links
	PM 1 (1.) Eiw./w.Pulpa	12/2	28/3 +
Organdeg.		Rechts	Links
	OD 1 (1.) Bauchr./Becken	15/2	38/2

Element: Bl - Ly - Ni - Al

0 10 20 30 40 50 60 70 80 90 100		Rechts	Links
Blase		Rechts	Links
	Bl 1 (67.) Körper	45/0	33/0

International professionell association for BESA ▌ZVR Nr. 975047937
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee ▌Österreich - Austria
Tel.: +43 – 664 – 73152899 ▌E-Mail: info@ifvbesa.at

BESA-Basismessung:

+++: Zeigerabfall > 15 Skt.
++: Zeigerabfall 6-15 Skt.
+: Zeigerabfall 3-5 Skt.
T: Totale Entzündung (89 Skt.)
P: Partielle Entzündung (70-89 Skt.)
D: Degeneration (< 50 Skt.)
Normalwerte: (50-70 Skt.)

Element: Bl - Ly - Ni - Al

0 10 20 30 40 50 60 70 80 90 100		Rechts	Links
	Lymphe		
	Ly 1 (1.) Tons.Palat.	50/2	28/2
0 10 20 30 40 50 60 70 80 90 100	**Niere**	Rechts	Links
	Ni 1 (1.) Becken	10/0	23/0
0 10 20 30 40 50 60 70 80 90 100	**Allergie**	Rechts	Links
	Al 1 (1.) unt.Körperab.	33/0	29/1

Element: Gbl - GD - Le - fD

0 10 20 30 40 50 60 70 80 90 100		Rechts	Links
	Gallenblase		
	Gbl 1 (44.) Duct.choled./hep.	13/1	21/0
0 10 20 30 40 50 60 70 80 90 100	**Gelenkdeg.**	Rechts	Links
	GD 1 (1.) unt.Extrem.	37/1	25/1
0 10 20 30 40 50 60 70 80 90 100	**Leber**	Rechts	Links
	Le 1 (1.) Zentralvenen	38/0	19/1
0 10 20 30 40 50 60 70 80 90 100	**fettige Deg.**	Rechts	Links
	fD 1 (1.) Bauchraum	19/2	27/0

Element: He - Dü

0 10 20 30 40 50 60 70 80 90 100		Rechts	Links
	Herz		
	He 1 (9.) Pulm.kl./Aortenkl.	35/1	40/0
0 10 20 30 40 50 60 70 80 90 100	**Dünndarm**	Rechts	Links
	Dü 1 (1.) Ileum	38/2	23/4 +

Element: Kr - 3E

0 10 20 30 40 50 60 70 80 90 100		Rechts	Links
	Kreislauf		
	Kr 1 (9.) SMP Arterien	39/0	26/1
0 10 20 30 40 50 60 70 80 90 100	**Endokrinum**	Rechts	Links
	3E 1 (1.) Keimdr./NNI	36/0	24/0

International professionell association for BESA ▌ZVR Nr. 975047937
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee ▌Österreich - Austria
Tel.: +43 – 664 – 73152899 ▌E-Mail: info@ifvbesa.at

BESA 4 Testing BEFORE

BESA 4 Testing BEFORE, Cheese Slices

This cheese cold cut comes from regional (conventional) agriculture in Austria, close to the location of the BESA Institute. In the further BESA test procedure, this cheese cold cut is introduced into the measuring circuit and tested on the test person. Details about this food can be found on page 11.

Goal: How does the meridian system of the test person react to the cheese slices in the measuring circuit? What are the differences compared to the BESA 1 basic test BEFORE?

BESA test evaluation P50 3.0.1.2 from **15-08-2020 at 13:43 until 13:49** (6 minutes) page 24 and 25

Result: The measurement result showed a worsening of the energetic situation of the test person compared to the BESA Basis Test.

75 % in the blue area
25% in the red area

Conclution: As the following BESA graphs show, many measurement points that were still in the blue degenerative range (energy deficiency) in BESA 1 are now again in the red measurement range. As in BESA tests 2 and 3, this represents an intolerance to conventional cheeses.
This means that these foods do not represent food for the test person in the sense of being beneficial to life, but instead additionally draw energy from his meridian system, i.e. it further weakens him energetically, so to speak.
The subsequent comparisons of the BESA graphs confirm the changes accordingly.

International professionell association for BESA ▌ZVR Nr. 975047937
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee ▌Österreich - Austria
Tel.: +43 – 664 – 73152899 ▌E-Mail: info@ifvbesa.at

Übersichtsdiagramm der BESA-Messungen:



Rot: Werte mit Zeigerabfall
Zeigerabfall größer als 2 (25%)

Gelb: Hohe Werte ohne Zeigerabfall
Werte über 70 ()

Blau: Niedrige Werte
Werte kleiner als 50 (75%)

Grün: Normalwerte
Werte zwischen 50 und 70 ()

BESA-Basismessung:

+++: Zeigerabfall > 15 Skt.
++: Zeigerabfall 6-15 Skt.
+: Zeigerabfall 3-5 Skt.

T: Totale Entzündung (89 Skt.)
P: Partielle Entzündung (70-89 Skt.)

D: Degeneration (< 50 Skt.)
Normalwerte: (50-70 Skt.)

Element: Lu - Ha - Di - BD

0 10 20 30 40 50 60 70 80 90 100		Rechts	Links
	Lunge		
	Lu 1 (11.) Parenchym	15/0	20/0
	Haut		
	Ha 1 (1.) Unterkörper	15/2	22/4 +
	Dickdarm		
	Di 1 (1.) Colon transv./sigm.	35/3 +	22/0
	Bindegewebsdeg.		
	BD 1 (1.) Bauch	24/4 +	29/2

Element: Ma - ND - PM - OD

0 10 20 30 40 50 60 70 80 90 100		Rechts	Links
	Magen		
	Ma 1 (45.) Pylorus/Körper	29/1	19/3 +
	Nervendeg.		
	ND 1 (1.) Lumb./Sakral.	47/4 +	17/0
	Pankreas-Milz		
	PM 1 (1.) Eiw./w.Pulpa	7/0	11/1
	Organdeg.		
	OD 1 (1.) Bauchr./Becken	24/3 +	19/1

Element: Bl - Ly - Ni - Al

0 10 20 30 40 50 60 70 80 90 100		Rechts	Links
	Blase		
	Bl 1 (67.) Körper	32/1	19/0

International professionell association for BESA ▌ZVR Nr. 975047937
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee ▌Österreich - Austria
Tel.: +43 – 664 – 73152899 ▌E-Mail: info@ifvbesa.at

BESA-Basismessung:

+++: Zeigerabfall > 15 Skt.
++: Zeigerabfall 6-15 Skt.
+: Zeigerabfall 3-5 Skt.
T: Totale Entzündung (89 Skt.)
P: Partielle Entzündung (70-89 Skt.)
D: Degeneration (< 50 Skt.)
Normalwerte: (50-70 Skt.)

Element: Bl - Ly - Ni - Al



Lymphe	Rechts	Links
Ly 1 (1.) Tons.Palat.	43/1	17/1

Niere	Rechts	Links
Ni 1 (1.) Becken	17/0	27/1

Allergie	Rechts	Links
Al 1 (1.) unt.Körperab.	42/2	30/0

Element: Gbl - GD - Le - fD



Gallenblase	Rechts	Links
Gbl 1 (44.) Duct.choled./hep.	25/1	25/0

Gelenkdeg.	Rechts	Links
GD 1 (1.) unt.Extrem.	10/2	27/3 +

Leber	Rechts	Links
Le 1 (1.) Zentralvenen	34/1	30/5 +

fettige Deg.	Rechts	Links
fD 1 (1.) Bauchraum	22/0	13/1

Element: He - Dü



Herz	Rechts	Links
He 1 (9.) Pulm.kl./Aortenkl.	17/1	29/3 +

Dünndarm	Rechts	Links
Dü 1 (1.) Ileum	27/2	14/0

Element: Kr - 3E



Kreislauf	Rechts	Links
Kr 1 (9.) SMP Arterien	43/4 +	29/0



Endokrinum	Rechts	Links
3E 1 (1.) Keimdr./NNI	39/0	17/1

International professionell association for BESA ▌ZVR Nr. 975047937
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee ▌Österreich - Austria
Tel.: +43 – 664 – 73152899 ▌E-Mail: info@ifvbesa.at

BESA 5 Testing BEFORE

BESA 5 testing BEFORE, ribbon noodles from wheat semolina

This ribbon noodles come from the EU wide (conventional) agriculture. In the further course of the BESA test, this ribbon noodle is introduced into the measuring circuit and tested on the test person. Details about this food can be found on page 12.

Goal: How does the meridian system of the test person react to the ribbon noodles in the measuring circuit? What are the differences compared to the BESA 1 basic test BEFORE?

BESA test evaluation P50 3.0.1.2 from **15-08-2020 at 13:50 until 13:56** (6 minutes) page 26 and 27

Result: The measurement result showed a further deterioration of the energetic situation in the test person compared to the BESA Basis Test and the BESA 4 Test.

55 % in the blue area
45 % in the red area

Conclution: As the following BESA graphs show, all measurement points are deep in the degeneration (energy deficiency), which in BESA 1 were still in the blue degenerative range (energy deficiency) are now deep in the red measurement range. As in BESA tests 2 to 4, this represents a strong intolerance to the conventional ribbon noodles.
This means that these ribbon noodles are absolutely no life-supporting means for the test person, but additionally draw energy from his meridian system, i.e. they weaken him energetically further.
The subsequent comparisons of the BESA graphs confirm the changes accordingly.

International professionell association for BESA ▌ZVR Nr. 975047937
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee ▌Österreich - Austria
Tel.: +43 – 664 – 73152899 ▌E-Mail: info@ifvbesa.at

Übersichtsdiagramm der BESA-Messungen:



Rot: Werte mit Zeigerabfall
Zeigerabfall größer als 2 (45%)

Gelb: Hohe Werte ohne Zeigerabfall
Werte über 70 ()

Blau: Niedrige Werte
Werte kleiner als 50 (55%)

Grün: Normalwerte
Werte zwischen 50 und 70 ()

BESA-Basismessung:

+++: Zeigerabfall > 15 Skt.
++: Zeigerabfall 6-15 Skt.
+: Zeigerabfall 3-5 Skt.

T: Totale Entzündung (89 Skt.)
P: Partielle Entzündung (70-89 Skt.)

D: Degeneration (< 50 Skt.)
Normalwerte: (50-70 Skt.)

Element: Lu - Ha - Di - BD

0 10 20 30 40 50 60 70 80 90 100		Rechts	Links
	Lunge		
	Lu 1 (11.) Parenchym	20/6 ++	19/1
	Haut		
	Ha 1 (1.) Unterkörper	7/1	12/5 +
	Dickdarm		
	Di 1 (1.) Colon transv./sigm.	29/0	15/2
	Bindegewebsdeg.		
	BD 1 (1.) Bauch	20/4 +	22/3 +

Element: Ma - ND - PM - OD

0 10 20 30 40 50 60 70 80 90 100		Rechts	Links
	Magen		
	Ma 1 (45.) Pylorus/Körper	18/8 ++	11/3 +
	Nervendeg.		
	ND 1 (1.) Lumb./Sakral.	23/0	10/2
	Pankreas-Milz		
	PM 1 (1.) Eiw./w.Pulpa	9/0	15/3 +
	Organdeg.		
	OD 1 (1.) Bauchr./Becken	13/3 +	17/3 +

Element: Bl - Ly - Ni - Al

0 10 20 30 40 50 60 70 80 90 100		Rechts	Links
	Blase		
	Bl 1 (67.) Körper	21/1	30/7 ++

International professionell association for BESA ▌ZVR Nr. 975047937
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee ▌Österreich - Austria
Tel.: +43 – 664 – 73152899 ▌E-Mail: info@ifvbesa.at

BESA-Basismessung:

+++: Zeigerabfall > 15 Skt.
++: Zeigerabfall 6-15 Skt.
+: Zeigerabfall 3-5 Skt.
T: Totale Entzündung (89 Skt.)
P: Partielle Entzündung (70-89 Skt.)
D: Degeneration (< 50 Skt.)
Normalwerte: (50-70 Skt.)

Element: Bl - Ly - Ni - Al



Lymphe	Rechts	Links
Ly 1 (1.) Tons.Palat.	16/1	12/2



Niere	Rechts	Links
Ni 1 (1.) Becken	11/0	19/4 +



Allergie	Rechts	Links
Al 1 (1.) unt.Körperab.	30/2	13/3 +

Element: Gbl - GD - Le - fD

Gallenblase	Rechts	Links
Gbl 1 (44.) Duct.choled./hep.	22/5 +	10/2



Gelenkdeg.	Rechts	Links
GD 1 (1.) unt.Extrem.	35/9 ++	9/2



Leber	Rechts	Links
Le 1 (1.) Zentralvenen	21/0	14/5 +



fettige Deg.	Rechts	Links
fD 1 (1.) Bauchraum	12/3 +	11/2

Element: He - Dü



Herz	Rechts	Links
He 1 (9.) Pulm.kl./Aortenkl.	9/1	22/2



Dünndarm	Rechts	Links
Dü 1 (1.) Ileum	33/2	24/4 +

Element: Kr - 3E



Kreislauf	Rechts	Links
Kr 1 (9.) SMP Arterien	19/0	16/4 +



Endokrinum	Rechts	Links
3E 1 (1.) Keimdr./NNI	36/1	9/1

International professionell association for BESA ▌ZVR Nr. 975047937
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee ▌Österreich - Austria
Tel.: +43 – 664 – 73152899 ▌E-Mail: info@ifvbesa.at

BESA 6 Testing AFTER

BESA 6 Testing AFTER, all foods and test object

In the further BESA test procedure, all previously tested foods are contacted with the test object for 5 minutes and then introduced into the measuring circuit and tested on the test person.

Goal: How does the meridian system of the test person react to the foodstuffs in the measuring circuit in total after they have been contacted with the test object? What changes can be seen compared to the BESA 1 to 5 tests due to the influence of the test object?

BESA test evaluation P50 3.0.1.2 from **15-08-2020 at 13:58 until 14:09** (11 minutes) page 29 and 30

Result: The measurement result showed a significant improvement on all acupuncture points or on the energetic state of the test person.

100 % in the green area

Conclution: As the following BESA graphs show, all measured values are in the green optimal range.
That means, by activating the food with the test object all partly heavy burdening food and/or their toxic load factors could be neutralized! That means, all foods changed by the influence of the test object into compatible, energy-giving life-friendly means.
The following comparisons of the BESA graphs confirm the changes or the improvement of the loaded acupuncture points on the meridian system of the test person by the test object.

International professionell association for BESA ▌ZVR Nr. 975047937
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee ▌Österreich - Austria
Tel.: +43 – 664 – 73152899 ▌E-Mail: info@ifvbesa.at

Übersichtsdiagramm der BESA-Messungen:



Rot: Werte mit Zeigerabfall
Zeigerabfall größer als 2 ()

Gelb: Hohe Werte ohne Zeigerabfall
Werte über 70 ()

Blau: Niedrige Werte
Werte kleiner als 50 ()

Grün: Normalwerte
Werte zwischen 50 und 70 (100%)

BESA-Basismessung:

+++: Zeigerabfall > 15 Skt.
++: Zeigerabfall 6-15 Skt.
+: Zeigerabfall 3-5 Skt.

T: Totale Entzündung (89 Skt.)
P: Partielle Entzündung (70-89 Skt.)

D: Degeneration (< 50 Skt.) Normalwerte: (50-70 Skt.)

Element: Lu - Ha - Di - BD

0 10 20 30 40 50 60 70 80 90 100		Rechts	Links
	Lunge		
	Lu 1 (11.) Parenchym	53/0	53/0
	Haut		
	Ha 1 (1.) Unterkörper	53/0	52/1
	Dickdarm		
	Di 1 (1.) Colon transv./sigm.	58/2	52/1
	Bindegewebsdeg.		
	BD 1 (1.) Bauch	53/1	53/0

Element: Ma - ND - PM - OD

0 10 20 30 40 50 60 70 80 90 100		Rechts	Links
	Magen		
	Ma 1 (45.) Pylorus/Körper	55/2	55/2
	Nervendeg.		
	ND 1 (1.) Lumb./Sakral.	56/1	57/1
	Pankreas-Milz		
	PM 1 (1.) Eiw./w.Pulpa	52/1	52/0
	Organdeg.		
	OD 1 (1.) Bauchr./Becken	58/1	56/0

Element: Bl - Ly - Ni - Al

0 10 20 30 40 50 60 70 80 90 100		Rechts	Links
	Blase		
	Bl 1 (67.) Körper	52/0	54/0

International professionell association for BESA ▌ZVR Nr. 975047937
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee ▌Österreich - Austria
Tel.: +43 – 664 – 73152899 ▌E-Mail: info@ifvbesa.at

BESA-Basismessung:

+++: Zeigerabfall > 15 Skt.
++: Zeigerabfall 6-15 Skt.
+: Zeigerabfall 3-5 Skt.
T: Totale Entzündung (89 Skt.)
P: Partielle Entzündung (70-89 Skt.)
D: Degeneration (< 50 Skt.)
Normalwerte: (50-70 Skt.)

Element: Bl - Ly - Ni - Al

0 10 20 30 40 50 60 70 80 90 100		Rechts	Links
	Lymphe		
	Ly 1 (1.) Tons.Palat.	55/1	51/0
	Niere		
	Ni 1 (1.) Becken	55/0	55/1
	Allergie		
	Al 1 (1.) unt.Körperab.	53/1	58/1

Element: Gbl - GD - Le - fD

0 10 20 30 40 50 60 70 80 90 100		Rechts	Links
	Gallenblase		
	Gbl 1 (44.) Duct.choled./hep.	55/1	54/1
	Gelenkdeg.		
	GD 1 (1.) unt.Extrem.	53/0	54/0
	Leber		
	Le 1 (1.) Zentralvenen	55/0	53/0
	fettige Deg.		
	fD 1 (1.) Bauchraum	51/0	56/1

Element: He - Dü

0 10 20 30 40 50 60 70 80 90 100		Rechts	Links
	Herz		
	He 1 (9.) Pulm.kl./Aortenkl.	52/0	51/0
	Dünndarm		
	Dü 1 (1.) Ileum	58/1	51/0

Element: Kr - 3E

0 10 20 30 40 50 60 70 80 90 100		Rechts	Links
	Kreislauf		
	Kr 1 (9.) SMP Arterien	53/0	58/1
	Endokrinum		
	3E 1 (1.) Keimdr./NNI	53/0	59/0

International professionell association for BESA ▌ZVR Nr. 975047937
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee ▌Österreich - Austria
Tel.: +43 – 664 – 73152899 ▌E-Mail: info@ifvbesa.at

All measurements at a glance



Basic



Foods and test object



Apple Elstar



Ribbon noodles



Bio Butter



Cheese slices

International professionell association for BESA ▌ZVR Nr. 975047937
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee ▌Österreich - Austria
Tel.: +43 – 664 – 73152899 ▌E-Mail: info@ifvbesa.at

General information about the test result

Man represents a kind of receiving antenna for environmental information. This is because human life depends fundamentally and exclusively on environmental information. Our organism is biologically very sensitive where natural information (fields) are located or where this natural information is subject to interactions and fluctuations. **For this reason, detected informative electromagnetic interference fields are biologically highly relevant. Any reduction or transformation of these interfering fields (ideally to 100 percent) is biologically very important, often even vital.** These informational disturbances from our environment are only compatible with life if they can be readjusted to a natural fluctuation tolerance. Disturbances, problems, blockades, disharmonies in the biological control circuit of man find their causes in such disturbing electromagnetic information influences.

General information about the metabolic type of the test person:

This subject reacts completely differently to the tested foods than all other subjects. This is due to his energetic and physical signature.

Like the previous BESA projects, this BESA detail project raises the question, what is the background to the prevailing food intolerances? To what does our immune system (immune globulins) actually react?
Is it the food per se or the ingredients that denature (poison) the food, which should be a food? In the overall P50 project, the main question was: Is the test object capable of neutralizing toxic stress factors in food?

Such effects and impacts could be proven in this detailed project P50 3.0.1.2 via the test object.

The test object tested in this project was able to neutralize the biologically adverse effects and effects on the test person compared to the foodstuffs tested..

The decisive ability of the test object to neutralize and harmonize the bioenergetic stress factors tested in this detail project P50 3.0.1.2 via the foodstuffs and their transformation into biological life-promoting goodness is proven with this project.

International professionell association for BESA ▌ZVR Nr. 975047937
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee ▌Österreich - Austria
Tel.: +43 – 664 – 73152899 ▌E-Mail: info@ifvbesa.at

Authorized Summary

The BESA tests carried out by IFVBESA on the energetic and physical effectiveness of the test object have clearly shown that it is able to neutralize or harmonize biologically significant stress factors on the tested foodstuffs with respect to the meridians or the acupuncture points of the test person.

Via the bioenergetic system analysis, the effect of the above-mentioned stress factors on the test persons, their meridian systems and their energetic-biological control circuits was scrutinized and systemically tested on the energetic level. The BESA tests BEFORE - AFTER show significant changes at the tested acupuncture points at the meridian system of the test persons. The measurement data as well as their key figures impressively confirm, on the one hand, the stresses caused by the tested foodstuffs on the human organism and, on the other hand, clarify how, after application of the test object, the deregulating energies are transformed into biocompatible energies.

From the holistic point of view, it may be assumed that the positive effect on the test subjects also occurs in other people. That the positive influence by the test object is actually possible with high precision is clearly shown by this test through the BESA-PRE-AFTER-NAfter comparison. All measured values improved significantly from the mostly 100-percent blue measuring range into the green mostly 50-second range (scale value), i.e. the range of optimal measured values. This means: an optimal regulation dynamic has taken place. Here, in the sense of the IFVBESA, one can clearly speak of an optimal, significant improvement of the body's own energy situation.

Result: The test persons were brought into contact with the loaded food during the BESA-AFTER testing. In contrast to the BEFORE tests, in which the test object was not used, positive measurement results were found throughout, indicating that neutralization or harmonization had taken place. The regulation dynamics developed into an optimal effective range.

Even the application of the stressing influences by the mentioned food in total on the test person resulted in its optimal neutralization or harmonization.

By proving the energetic effectiveness of the test object in this detailed project P50 3.0.1.2, the requirements for obtaining a BESA seal of approval by the International Professional Association for BESA were met.