

IFVBESA

Information is crucial

P50 3.0.3 BESA Detail project

SD 2 Food Protect

IPC Europe UG

International professional association for BESA ▌ ZVR Nr. 975047937
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee ▌ Österreich - Austria
Tel.: +43 – 664 – 73152899 ▌ E-Mail: info@ifvbesa.at

Projekt P50 3.0.3
for BESA expert opinion

bioenergetic system analysis
within the framework of the BESA quality seal
on the efficacy of the product "SD 2 Food Protect“
for denatured food products
SN-213509-NH - Fa. IPC Europe UG
D-77866 Rheinau
Designated as "test object" in the test

International professional association for BESA ▌ZVR Nr. 975047937
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee ▌Österreich - Austria
Tel.: +43 – 664 – 73152899 ▌E-Mail: info@ifvbesa.at

Client

company
IPC-Europe UG
Norbert Heuser
Schwarzwaldstr. 48
D 77866 Rheinau

Project participants and responsible persons:

Project leader: Wolfgang Hans Albrecht, president and scientific director of the IFVBESA
Test person: Eva Krankl, vice president and deputy scientific director of the IVFBESA
Test subject: 10 anonymous subjects, in the detail project P50 3.0.1 until P50 3.0.4

These are divided as follows:

- 4 subjects of different metabolic types in detail project P50 3.0.1 and its subprojects P50 3.0.1.1 - P50 3.0.1.4
- 2 subjects P50 3.0.2 and P50 3.0.3
- 4 subjects P50 3.0.4 (P50 3.0.4 P1 to P50 3.0.4 P4)

other project participants of the company: none

Project location:

At the IFVBESA site (field test according to detailed information)
Main street 1
A 4861 Kammer/Schörfling

Date: 13.08.2020 until 17.09.2020

Project duration: 34 days

International professional association for BESA ▌ZVR Nr. 975047937
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee ▌Österreich - Austria
Tel.: +43 – 664 – 73152899 ▌E-Mail: info@ifvbesa.at

Content

BESA Legend **for the interpretation of BESA measurement results** 5
Basics of the research project creation P50 3.0 6
Research support services of the IFVBESA - BESA reference tests 7
Research project description (detailed projects) 7
Test procedure 10
All masurement at a glance 27
General information about the test result 28
Authorized Summary 28

Important notes:

Der The client owns the right to exploit this project report. Irrespective of this, this report represents intellectual property of IFVBESA as the contractor. The contractor is entitled to use this project report for other purposes if this does not violate the client's data protection or confidentiality.
On the other hand, the project report, with the exception of the "authorized abridged version", may not be changed or passed on in an abridged form without the consent of the IFVBESA.
The order for this project refers to bioenergetically measurable values and their interpretation according to the guidelines of BESA or the IFVBESA.
The maintenance of the quality of the tested products as well as their regular control is the task and responsibility of the client.
Investigation of the manufacture, mechanism of action or interpretations of the Client's products to third parties is not the responsibility or task of the Contractor. Video recordings may be made only with the permission of IFVBESA.

International professional association for BESA ▌ ZVR Nr. 975047937
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee ▌ Österreich - Austria
Tel.: +43 – 664 – 73152899 ▌ E-Mail: info@ifvbesa.at

BESA Legend **for the interpretation of BESA measurement results**

The measured value of 50 on the tested meridian represents an optimal energetic state in this organ or its subordinate and superordinate levels. Also measured values in the range of 50 to max. 70 still count as a neutral and balanced energy status. The organism is able to regulate irritations of the system (wrong environmental signals) very well.

Readings above 70 to 100 represent the inflammatory range or a so-called energy surplus in response to the irritation of the system by environmental signals corresponding to it.
After reaching the maximum values, the energy state tilts into the degenerative (blue) range.

Readings from below 50 to near 0 represent the so-called degenerative measurement range or a lack of energy in response to the stimulation of the system by environmental signals corresponding to it.

**Measured values represented by a so-called pointer drop of more than 3 scale lines indicate a total deregulation.
The influence of certain environmental signals then leads to such strong system overloads, which can only be harmonized by corresponding new signals.**

BESA Key figures:

up 0,79	very deep energetic regulation disorder (SSD) energy deficiency
0,8 to 1,19	strong energetic regulation disorder (SD) degeneration/lack of energy
1,2 to 1,59	energetic regulation disorder (D) degeneration/energy deficiency
1,6 to 1,99	degenerative transition area (DÜ)
2,0 to 2,39	optimal regulation (OR)
2,4 to 2,79	in the regulation (R)
2,8 to 3,19	partiell inflammation = regional energy excess (PE)
up 3,2	total inflammation = strong generell energy excess (TE)

International professional association for BESA ▌ZVR Nr. 975047937
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee ▌Österreich - Austria
Tel.: +43 – 664 – 73152899 ▌E-Mail: info@ifvbesa.at

Basics of the research project creation P50 3.0

The international association for bioenergetic system analysis was commissioned by Mr. Norbert Heuser to test or prove the effect of the test object, the "SD 2 Food Protect" by means of bioenergetic system analysis (BESA). The testing took place independently of the subjective feeling of the respective test persons. The test object was presented as follows according to the information provided by the contracting company:

Description of the test object "SD 2 Food Protect" by Mr. Heuser:

The test object shall be practically and factually suitable to bring toxically contaminated - denatured food back to its norm.
A chip with a corresponding effective radius serves as the storage location for the information.
With the software and hardware developed by the client and tested for years, it should be possible to program information onto product materials, which then take effect at the point of use, i.e. the food. The effectiveness of such information has been proven by numerous products developed by the client's team and in use for decades.
This detailed project P50 3.0 is specifically concerned with proving the effectiveness of the test object against toxically contaminated foodstuffs on test persons. The test object should therefore be practically and factually suitable for restoring foodstuffs contaminated by toxic environmental influences (artificial and natural) to their normal state.

Generell to the information:

The information transfer takes place from the hyperspace of the test object to the hyperspace of biological objects (humans, animals, plants). From there, the information reaches the reference space or the energy space via so-called interaction channels. This is a union of, among other things, all organs and energy forms in the biological object. There, the information of the program can dynamically materialize and thus change current states. The changes can appear in the form of neutralization or harmonization of disturbances, dissolution of problems, blockages and disharmonies.

Research support services of the IFVBESA - BESA reference tests

The test object is tested according to the request of the client within the framework of the valid conditions of the IFVBESA for the award of quality seals. Basically, seals of approval are awarded in three categories (3,4 or 5 stars) depending on the significance of the test results, taking into account all tests of a project.
For the test object it should be determined whether toxic stress factors such as spraying agents (pesticides, herbicides, fungicides, etc.), flavor enhancers, shelf life substances, dyes, etc. can be neutralized by its application to food and thus negative pathological conditions can be replaced by positive conditions.

The developer of the test object, Mr. Norbert Heuser, assumes that it is capable of transforming toxic environmental information into life-enhancing information.
This was questioned in the following commissioned tests of the project P50 3.0 on the test persons.

Research project description (detailed projects)

The following must be stated at the outset of this project:

Each food can have a differentiated effect on people. This is due to the fact that the constitution of people is completely different. Each person has his or her own signature, which shapes his or her metabolism.

Therefore, in this BESA project no food intolerances were determined, but only the effect of the test object on certain foods was questioned.

The following toxic substances in the foodstuffs are to be questioned with regard to the effectiveness of the test object and raised to a natural energy standard value:

- basically denatured foods
- hormone-altered foods
- food polluted by bar codes on packages
- food contaminated with pesticides
- foods contaminated by radiation
- foods contaminated by added colors
- Food contaminated by flavor enhancers
- Foodstuffs contaminated by microwaves
- Foodstuffs contaminated by chemical preservatives or preservatives
- food contaminated by freezing damageNahrungsmittel

These BESA tests are intended to give an indication of the extent of the effect of the test object, especially its holistic orientation.

The purpose of this test is to prove the functionality of the test object through test results obtained by exposing test subjects to exactly selected foods in order to significantly demonstrate and compare their reactions without the test object and with the test object. Subjects are contacted, i.e. associated, with exactly the same predetermined foods in the pre-measurement and post-measurement.

The pre-measurement is performed without the test object.
The post measurement is performed with the test object.

The question in each AFTER test: "Is the test object suitable and able to harmonize or neutralize the so perceived negative effects of the food on the test person"?

The appropriately designed tests were to provide information on this by comparing the preliminary measurements without the test object with the test results of the post-test measurements carried out using the test object.

The concern of the development team was to determine whether the test object, as noted in the product description, is suitable for harmonizing the bioenergetic deregulations resulting from toxic stresses in the food and subsequently in the meridian system of the test person..

Condition:

The BESA basic tests were performed in the premises of IFVBESA.
The BESA tests are performed under the aforementioned laboratory conditions, at room temperature 20°Celsius on a natural wooden floor.
The test person is deswitcht (made testable) before the BESA Basic Status test or the test possibilities are questioned with the test persons.

Pos.1: BESA 1 testing (bioenergetic status) on test person 2
Pos.2: BESA 2 testing when the test person is confronted with the listed foodstuffs.
Pos.3: testing with simultaneous confrontation of the test person with all foods and the test object
Pos.4: Evaluation of the results in the respective detailed projects and summary in a corresponding BESA report.

Below is an excerpt of the food products from the complex used:

1. Natural still mineral water
2. china pan
3. organic frozen scampi

<u>to food 1</u>
natural still mineral water
from the mountains of Austria
the sum of dissolved substances is 238mg/l

Suitable for low sodium diet and for the preparation of baby food

Ingredients mg/l:

Cations:	
Ca^2 Calcium	29.4
Mg^2 Magnesium	1.3
Na Sodium	4.5
K Potassium	0.87
Anions:	
HCO^3 sodium bicarbonate	149.00
H4SiO4 Silicic acid	30.00
SO42 Sulfates of sulfuric acid	9.3
NO^3 Nitrate	1.0
Cl Chlorine	1,0

to food 2

Chinese pan

Without added flavor enhancers, preservatives and colorants!
Ingredients: Starch, 14% vegetables, white flour, 3% carrots, celeriac, 2% red bell peppers, leeks, sugar, maltodextrin, iodized sea salt, table salt, soy sauce, soybeans, wheat, apple powder, 2% mushrooms, table salt, Palm oil, seasoning, yeast extract, ginger, garlic, caramel sugar, turmeric, lemon powder, barley malt extract, cumin, flavorings - derived from natural potassium minerals, may contain traces of on and mustard.

Ingredients per 100g:

Calorific value	119 kcal
Fat	7 g
of which saturated fatty acids (FS)	1.1 g
Carbohydrates	4.3 g
thereof sugar	1,4 g
Dietary fiber	< 0.5 g
Protein	9,6 g
Salt	1,1 g

to food 3

BIO Scampi frozen

from organic aquaculture
Country of origin: Litopenaeus Wannamei - obtained in Ecuador or
Litopenaeus Wannamei - obtained in Costa Rice or
Metapenaeus ensis - obtained in Vietnam or
Penaeus merguiensis - obtained in Vietnam

Ingredients per 100g

Fat	0,7 g
Carbohydrates	0,0 g
Dietary fiber	0.0 g
Protein	12 g
Salt	1,3 g

Procedure and specifications for the implementation

1. **BESA-baseline measurement of the test person** at all previously determined measurement points (TING points) serve to determine the actual condition. The results were determined exactly according to the BESA specifications and documented via the BESA graphs.

2. the **test person was brought into contact** with the foodstuffs depending on the project, whereby the sequence discussed with the client was regarded as the specification and was adhered to accordingly. In order to be able to determine the current energy status, the measuring points mentioned in point 1 were measured in the same order and for the same duration for each test of foodstuffs. The results were determined exactly according to the BESA specifications and documented via the BESA graphs.

3. **Activation of the testobject**

3.1 **Activation of the test object on the food** was performed according to the client's instructions.

3.2 The test persons were brought into contact with the activated foodstuffs. The measurement points mentioned in point 1 were measured in the same order and time duration to determine the current energy state. The results were determined exactly according to the BESA specifications and documented via the BESA graphs.

Test procedure

BESA 1 BASIC testing as a status:
In the first step, basic bioenergetic testing (bioenergetic status) is performed on the meridian end points (TING points) of the subjects.

BESA 2 testing of the respective foodstuffs listed
In the further course of the BESA test, the foods are tested on the test person.
The question is, how does the meridian system react, how does the energetic status of the test person change after confrontation with the respective, always the same food. What are the differences compared to the BESA 1 basic testing BEFORE?

BESA 3 testing of the test subject against the listed foodstuffs

In this BESA test, all the foods already tested are introduced into the measuring circuit together with the test object.

Now the question is: How does the meridian system of the test person react within the area of effect of the test object when all the foods already tested are used at the same time?

International professional association for BESA ▌ZVR Nr. 975047937
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee ▌Österreich - Austria
Tel.: +43 – 664 – 73152899 ▌E-Mail: info@ifvbesa.at

Proband 6

BESA 1 Testing BASIC – BEFORE

BESA 1 testing BASIC BEFORE as a status

Eva Krankl performs a BESA basic test on the test person.
All BESA tests are performed at the TING points (40 nail fold points on the fingers and toes).

Goal: The creation of a basic test (status) as a representation of the energetic initial situation.

BESA test evaluation P50 3.0.3 from **18-08-2020 at 14:16 until 14:23** (6 minutes) page 13 and 14

Result: The measurement result indicated a massive deterioration of the energetic situation of the test person compared to the BESA Basis Test

97 % in the blue area
2 % in the red area
1 % in the yellow transition area

Conclution: As the graphs and pie chart show, all of the measurement results were in the blue and in the red, degenerative range and strong degenerative range (energy deficiency).

International professional association for BESA ▌ ZVR Nr. 975047937
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee ▌ Österreich - Austria
Tel.: +43 – 664 – 73152899 ▌ E-Mail: info@ifvbesa.at

Übersichtsdiagramm der BESA-Messungen:



Rot: Werte mit Zeigerabfall
Zeigerabfall größer als 2 (2%)

Gelb: Hohe Werte ohne Zeigerabfall
Werte über 70 ()

Blau: Niedrige Werte
Werte kleiner als 50 (97%)

Grün: Normalwerte
Werte zwischen 50 und 70 ()

BESA-Basismessung:

+++: Zeigerabfall > 15 Skt.
++: Zeigerabfall 6-15 Skt.
+: Zeigerabfall 3-5 Skt.

T: Totale Entzündung (89 Skt.)
P: Partielle Entzündung (70-89 Skt.)

D: Degeneration (< 50 Skt.)
Normalwerte: (50-70 Skt.)

Element: Lu - Ha - Di - BD

0 10 20 30 40 50 60 70 80 90 100		Rechts	Links
	Lunge		
	Lu 1 (11.) Parenchym	31/0	24/0
	Haut		
	Ha 1 (1.) Unterkörper	27/0	24/0
	Dickdarm		
	Di 1 (1.) Colon transv./sigm.	40/1	23/0
	Bindegewebsdeg.		
	BD 1 (1.) Bauch	13/0	19/1

Element: Ma - ND - PM - OD

0 10 20 30 40 50 60 70 80 90 100		Rechts	Links
	Magen		
	Ma 1 (45.) Pylorus/Körper	23/2	28/2
	Nervendeg.		
	ND 1 (1.) Lumb./Sakral.	33/1	31/0
	Pankreas-Milz		
	PM 1 (1.) Eiw./w.Pulpa	31/0	21/0
	Organdeg.		
	OD 1 (1.) Bauchr./Becken	28/1	33/1

Element: Bl - Ly - Ni - Al

0 10 20 30 40 50 60 70 80 90 100		Rechts	Links
	Blase		
	Bl 1 (67.) Körper	12/0	18/1

International professional association for BESA ▌ ZVR Nr. 975047937
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee ▌ Österreich - Austria
Tel.: +43 – 664 – 73152899 ▌ E-Mail: info@ifvbesa.at

BESA-Basismessung:

+++: Zeigerabfall > 15 Skt. T: Totale Entzündung (89 Skt.) D: Degeneration (< 50 Skt.) Normalwerte: (50-70 Skt.)
++: Zeigerabfall 6-15 Skt. P: Partielle Entzündung (70-89 Skt.)
+: Zeigerabfall 3-5 Skt.

Element: Bl - Ly - Ni - Al



	Rechts	Links
Lymphe		
Ly 1 (1.) Tons.Palat.	42/1	31/1
Niere		
Ni 1 (1.) Becken	25/0	25/2
Allergie		
Al 1 (1.) unt.Körperab.	35/0	28/2

Element: Gbl - GD - Le - fD



	Rechts	Links
Gallenblase		
Gbl 1 (44.) Duct.choled./hep.	32/1	30/1
Gelenkdeg.		
GD 1 (1.) unt.Extrem.	23/2	31/1
Leber		
Le 1 (1.) Zentralvenen	19/0	33/0
fettige Deg.		
fD 1 (1.) Bauchraum	32/3 +	28/1

Element: He - Dü



	Rechts	Links
Herz		
He 1 (9.) Pulm.kl./Aortenkl.	25/1	19/0
Dünndarm		
Dü 1 (1.) Ileum	20/0	14/0

Element: Kr - 3E



	Rechts	Links
Kreislauf		
Kr 1 (9.) SMP Arterien	41/2	23/0
Endokrinum		
3E 1 (1.) Keimdr./NNI	19/0	17/0

International professional association for BESA ▌ ZVR Nr. 975047937
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee ▌ Österreich - Austria
Tel.: +43 – 664 – 73152899 ▌ E-Mail: info@ifvbesa.at

BESA 2 Testing BEFORE

BESA 2 testing BEFORE, natural still Water

The "natural still mineral water" - called still water for short - comes from the mountains of Upper Austria. In the further course of the BESA test, this still water is introduced into the measuring circuit and tested on the test person. Details on Still Water can be found on page 9.

Goal: How does the meridian system of the test person react to the still water in the measuring circuit? What are the differences compared to the BESA 1 basic test BEFORE?

BESA test evaluation P50 3.0.3 from **18-08-2020 at 14:40 until 14:47** (7 minutes) page 16 and 17

Result: The measurement result indicated a degenerative energetic situation in the test person compared to the BESA Basic Test.

97 % in the blue area
2 % in the red area
1 % in the yellow transition area

Conclution: As the following graphs show, all measurement points are in the degenerative blue and red area (energy deficiency).
This represents, in relation to the still water tested, a degenerative energetic load on the subject.
This still water shows how processed mineral water can weaken or strain the human organism.
Very often mineral water is treated by industrial reverse osmosis. This process may improve the water according to today's quality standards, but energetically it shows how this process drains the water of any vital energy.
This water puts a strain on the subject's metabolism and, on balance, costs him more energy than it gives back.
The subsequent comparisons of the BESA graphs confirm the changes.

International professional association for BESA ▌ ZVR Nr. 975047937
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee ▌ Österreich - Austria
Tel.: +43 – 664 – 73152899 ▌ E-Mail: info@ifvbesa.at

Übersichtsdiagramm der BESA-Messungen:



Rot: Werte mit Zeigerabfall
Zeigerabfall größer als 2 (2%)

Gelb: Hohe Werte ohne Zeigerabfall
Werte über 70 ()

Blau: Niedrige Werte
Werte kleiner als 50 (97%)

Grün: Normalwerte
Werte zwischen 50 und 70 ()

BESA-Basismessung:

+++: Zeigerabfall > 15 Skt.
++: Zeigerabfall 6-15 Skt.
+: Zeigerabfall 3-5 Skt.

T: Totale Entzündung (89 Skt.)
P: Partielle Entzündung (70-89 Skt.)

D: Degeneration (< 50 Skt.) Normalwerte: (50-70 Skt.)

Element: Lu - Ha - Di - BD

0 10 20 30 40 50 60 70 80 90 100		Rechts	Links
	Lunge		
	Lu 1 (11.) Parenchym	42/1	28/0
	Haut		
	Ha 1 (1.) Unterkörper	28/1	30/1
	Dickdarm		
	Di 1 (1.) Colon transv./sigm.	35/0	35/0
	Bindegewebsdeg.		
	BD 1 (1.) Bauch	28/0	29/1

Element: Ma - ND - PM - OD

0 10 20 30 40 50 60 70 80 90 100		Rechts	Links
	Magen		
	Ma 1 (45.) Pylorus/Körper	29/0	25/0
	Nervendeg.		
	ND 1 (1.) Lumb./Sakral.	34/1	26/2
	Pankreas-Milz		
	PM 1 (1.) Eiw./w.Pulpa	36/0	37/1
	Organdeg.		
	OD 1 (1.) Bauchr./Becken	38/2	21/0

Element: Bl - Ly - Ni - Al

0 10 20 30 40 50 60 70 80 90 100		Rechts	Links
	Blase		
	Bl 1 (67.) Körper	13/1	14/0

International professional association for BESA ▌ ZVR Nr. 975047937
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee ▌ Österreich - Austria
Tel.: +43 – 664 – 73152899 ▌ E-Mail: info@ifvbesa.at

BESA-Basismessung:

+++: Zeigerabfall > 15 Skt. T: Totale Entzündung (89 Skt.) D: Degeneration (< 50 Skt.) Normalwerte: (50-70 Skt.)
++: Zeigerabfall 6-15 Skt. P: Partielle Entzündung (70-89 Skt.)
+: Zeigerabfall 3-5 Skt.

Element: Bl - Ly - Ni - Al



	Rechts	Links
Lymphe		
Ly 1 (1.) Tons.Palat.	42/1	31/1
Niere		
Ni 1 (1.) Becken	25/0	25/2
Allergie		
Al 1 (1.) unt.Körperab.	35/0	28/2

Element: Gbl - GD - Le - fD



	Rechts	Links
Gallenblase		
Gbl 1 (44.) Duct.choled./hep.	32/1	30/1
Gelenkdeg.		
GD 1 (1.) unt.Extrem.	23/2	31/1
Leber		
Le 1 (1.) Zentralvenen	19/0	33/0
fettige Deg.		
fD 1 (1.) Bauchraum	32/3 +	28/1

Element: He - Dü



	Rechts	Links
Herz		
He 1 (9.) Pulm.kl./Aortenkl.	25/1	19/0
Dünndarm		
Dü 1 (1.) Ileum	20/0	14/0

Element: Kr - 3E



	Rechts	Links
Kreislauf		
Kr 1 (9.) SMP Arterien	41/2	23/0
Endokrinum		
3E 1 (1.) Keimdr./NNI	19/0	17/0

International professional association for BESA ▌ ZVR Nr. 975047937
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee ▌ Österreich - Austria
Tel.: +43 – 664 – 73152899 ▌ E-Mail: info@ifvbesa.at

BESA 3 Testing BEFORE

BESA 3 testing BEFORE, China pan from the conventional production (ready meal)

This China pan comes from the conventional production of an Austrian manufacturer. In the further BESA test procedure, this China pan is introduced into the measuring circuit and tested on the test person. Details about this tested food can be found on page 9.

Goal: How does the meridian system of the test person react to the China pan in the measuring circuit? What are the differences compared to the BESA basic test BEFORE?

BESA test evaluation P50 3.0.3 from **18-08-2020 at 14:30 until 14:38** (8 minutes) page 19 and 20

Result:
The measurement result indicated a strong degeneration of the energetic situation in the subject compared to the BESA Basis and BESA 2 testing..

67 % in the blue area
32 % in the red area
1 % in the yellow transition area

Conclution: As the following graphs show, many measurement points that were still in the blue degenerative range (lack of energy) in BESA 1 are now in the red measurement range. This represents a clear intolerance to the Chinese pan.
This situation is interesting because it is according to the information of the producer a product WITHOUT preservatives, dyes or flavor enhancers.
This means that this China pan extracts additional energy from the test person's system and further weakens him energetically.
The subsequent comparisons of the BESA graphs confirm the changes.

International professional association for BESA ▌ ZVR Nr. 975047937
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee ▌ Österreich - Austria
Tel.: +43 – 664 – 73152899 ▌ E-Mail: info@ifvbesa.at

Übersichtsdiagramm der BESA-Messungen:



Rot: Werte mit Zeigerabfall
Zeigerabfall größer als 2 (32%)

Gelb: Hohe Werte ohne Zeigerabfall
Werte über 70 ()

Blau: Niedrige Werte
Werte kleiner als 50 (67%)

Grün: Normalwerte
Werte zwischen 50 und 70 ()

BESA-Basismessung:

+++: Zeigerabfall > 15 Skt.
++: Zeigerabfall 6-15 Skt.
+: Zeigerabfall 3-5 Skt.

T: Totale Entzündung (89 Skt.)
P: Partielle Entzündung (70-89 Skt.)

D: Degeneration (< 50 Skt.)
Normalwerte: (50-70 Skt.)

Element: Lu - Ha - Di - BD

0 10 20 30 40 50 60 70 80 90 100		Rechts	Links
	Lunge		
	Lu 1 (11.) Parenchym	14/1	27/3 +
	Haut		
	Ha 1 (1.) Unterkörper	22/4 +	19/2
	Dickdarm		
	Di 1 (1.) Colon transv./sigm.	25/1	25/1
	Bindegewebsdeg.		
	BD 1 (1.) Bauch	27/1	14/3 +

Element: Ma - ND - PM - OD

0 10 20 30 40 50 60 70 80 90 100		Rechts	Links
	Magen		
	Ma 1 (45.) Pylorus/Körper	20/0	15/0
	Nervendeg.		
	ND 1 (1.) Lumb./Sakral.	16/3 +	19/3 +
	Pankreas-Milz		
	PM 1 (1.) Eiw./w.Pulpa	30/0	23/1
	Organdeg.		
	OD 1 (1.) Bauchr./Becken	13/2	32/2

Element: Bl - Ly - Ni - Al

0 10 20 30 40 50 60 70 80 90 100		Rechts	Links
	Blase		
	Bl 1 (67.) Körper	11/2	10/0

International professional association for BESA ▌ ZVR Nr. 975047937
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee ▌ Österreich - Austria
Tel.: +43 – 664 – 73152899 ▌ E-Mail: info@ifvbesa.at

BESA-Basismessung:

+++: Zeigerabfall > 15 Skt.
++: Zeigerabfall 6-15 Skt.
+: Zeigerabfall 3-5 Skt.

T: Totale Entzündung (89 Skt.)
P: Partielle Entzündung (70-89 Skt.)

D: Degeneration (< 50 Skt.)

Normalwerte: (50-70 Skt.)

Element: Bl - Ly - Ni - Al



	Rechts	Links
Lymphe		
Ly 1 (1.) Tons.Palat.	23/0	23/4 +
Niere		
Ni 1 (1.) Becken	16/1	23/0
Allergie		
Al 1 (1.) unt.Körperab.	15/3 +	23/1

Element: Gbl - GD - Le - fD



	Rechts	Links
Gallenblase		
Gbl 1 (44.) Duct.choled./hep.	20/3 +	24/0
Gelenkdeg.		
GD 1 (1.) unt.Extrem.	26/1	25/2
Leber		
Le 1 (1.) Zentralvenen	22/0	24/0
fettige Deg.		
fD 1 (1.) Bauchraum	27/3 +	28/5 +

Element: He - Dü



	Rechts	Links
Herz		
He 1 (9.) Pulm.kl./Aortenkl.	28/4 +	22/1
Dünndarm		
Dü 1 (1.) Ileum	25/2	9/1

Element: Kr - 3E



	Rechts	Links
Kreislauf		
Kr 1 (9.) SMP Arterien	17/2	21/2
Endokrinum		
3E 1 (1.) Keimdr./NNI	24/6 ++	14/3 +

International professional association for BESA ▌ ZVR Nr. 975047937
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee ▌ Österreich - Austria
Tel.: +43 – 664 – 73152899 ▌ E-Mail: info@ifvbesa.at

BESA 4 Testing BEFORE

BESA 4 testing BEFORE, Frozen organic scampi

In the further BESA test procedure, one of the scampi is removed from the packaging and introduced into the measuring circuit in the frozen state and tested on the test person. Details about this food can be found on page 10.

Goal: How does the meridian system of the test person react to the frozen BIO scampi in the measuring circuit? What are the differences compared to the BESA 1 basic test BEFORE?

BESA test evaluation P50 3.0.3 from **18-08-2020 at 14:40 until 14:47** (7 minutes) page 22 and 23

Result: The measurement result showed a worsening of the energetic situation of the test person compared to the BESA basic test.

97 % in the blue area
2 % in the red area
1 % in the yellow transition area

Conclution:
As the following graphs show, all measurement points are in the degenerative, blue and red areas (energy deficiency).
These BIO Scampi show that even organic foods do not always automatically have to be "food".
Even these foods burden the metabolism of the test person and cost more energy for digestion than they give back to the test person.
The subsequent comparisons of the BESA graphs confirm the changes.

International professional association for BESA ▌ ZVR Nr. 975047937
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee ▌ Österreich - Austria
Tel.: +43 – 664 – 73152899 ▌ E-Mail: info@ifvbesa.at

Übersichtsdiagramm der BESA-Messungen:



Rot: Werte mit Zeigerabfall
Zeigerabfall größer als 2 (2%)

Gelb: Hohe Werte ohne Zeigerabfall
Werte über 70 ()

Blau: Niedrige Werte
Werte kleiner als 50 (97%)

Grün: Normalwerte
Werte zwischen 50 und 70 ()

BESA-Basismessung:

+++: Zeigerabfall > 15 Skt.
++: Zeigerabfall 6-15 Skt.
+: Zeigerabfall 3-5 Skt.

T: Totale Entzündung (89 Skt.)
P: Partielle Entzündung (70-89 Skt.)

D: Degeneration (< 50 Skt.)
Normalwerte: (50-70 Skt.)

Element: Lu - Ha - Di - BD

0 10 20 30 40 50 60 70 80 90 100		Rechts	Links
	Lunge	Rechts	Links
	Lu 1 (11.) Parenchym	47/2	38/1
	Haut	Rechts	Links
	Ha 1 (1.) Unterkörper	28/1	23/0
	Dickdarm	Rechts	Links
	Di 1 (1.) Colon transv./sigm.	37/0	27/0
	Bindegewebsdeg.	Rechts	Links
	BD 1 (1.) Bauch	29/0	18/0

Element: Ma - ND - PM - OD

0 10 20 30 40 50 60 70 80 90 100		Rechts	Links
	Magen	Rechts	Links
	Ma 1 (45.) Pylorus/Körper	29/0	21/2
	Nervendeg.	Rechts	Links
	ND 1 (1.) Lumb./Sakral.	36/0	24/1
	Pankreas-Milz	Rechts	Links
	PM 1 (1.) Eiw./w.Pulpa	39/1	38/1
	Organdeg.	Rechts	Links
	OD 1 (1.) Bauchr./Becken	44/1	23/3 +

Element: Bl - Ly - Ni - Al

0 10 20 30 40 50 60 70 80 90 100		Rechts	Links
	Blase	Rechts	Links
	Bl 1 (67.) Körper	20/0	23/0

International professional association for BESA ▌ ZVR Nr. 975047937
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee ▌ Österreich - Austria
Tel.: +43 – 664 – 73152899 ▌ E-Mail: info@ifvbesa.at

BESA-Basismessung:

+++: Zeigerabfall > 15 Skt.
++: Zeigerabfall 6-15 Skt.
+: Zeigerabfall 3-5 Skt.
T: Totale Entzündung (89 Skt.)
P: Partielle Entzündung (70-89 Skt.)
D: Degeneration (< 50 Skt.)
Normalwerte: (50-70 Skt.)

Element: Bl - Ly - Ni - Al

	Rechts	Links
Lymphe		
Ly 1 (1.) Tons.Palat.	34/1	33/2
Niere		
Ni 1 (1.) Becken	24/0	35/2
Allergie		
Al 1 (1.) unt.Körperab.	24/1	37/1

Element: Gbl - GD - Le - fD

	Rechts	Links
Gallenblase		
Gbl 1 (44.) Duct.choled./hep.	39/1	26/1
Gelenkdeg.		
GD 1 (1.) unt.Extrem.	31/1	28/0
Leber		
Le 1 (1.) Zentralvenen	19/1	37/0
fettige Deg.		
fD 1 (1.) Bauchraum	29/0	12/0

Element: He - Dü

	Rechts	Links
Herz		
He 1 (9.) Pulm.kl./Aortenkl.	45/0	18/1
Dünndarm		
Dü 1 (1.) Ileum	27/1	18/1

Element: Kr - 3E

	Rechts	Links
Kreislauf		
Kr 1 (9.) SMP Arterien	37/0	32/0
Endokrinum		
3E 1 (1.) Keimdr./NNI	27/0	19/0

International professional association for BESA ❙ ZVR Nr. 975047937
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee ❙ Österreich - Austria
Tel.: +43 – 664 – 73152899 ❙ E-Mail: info@ifvbesa.at

BESA 5 Testing AFTER

BESA 6 test AFTER, all foods and test object

In the further BESA test procedure, all previously tested foods are confronted with the test object for 5 minutes. After that, the foods were introduced into the measuring circuit.

Goal: How does the meridian system of the test person react to the foods in the measuring circuit in total after they have been contacted with the test object? What changes can be seen compared to the BESA 1 to BESA 4 tests due to the influence of the test object?

BESA test evaluation P50 3.0.3 from **18-08-2020 at 14:50 until 14:56** (6 minutes) page 25 and 26

Result: The measurement result showed a significant improvement on all acupuncture points or on the energetic state of the test subject.

100 % in the green area

Conclution: As the following BESA graphs show, all measured values are in the green optimal range.
That means, by activating the food with the test object all, partly heavily loaded food and/or toxic load factors in the food could be neutralized!
That means, all foods changed by the influence of the test object into compatible, energy-giving foods.
The following comparisons of the BESA graphs confirm the changes or the improvement of the loaded acupuncture points on the meridian system of the test person by the test object.

International professional association for BESA ▌ ZVR Nr. 975047937
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee ▌ Österreich - Austria
Tel.: +43 – 664 – 73152899 ▌ E-Mail: info@ifvbesa.at

Übersichtsdiagramm der BESA-Messungen:



Rot: Werte mit Zeigerabfall
Zeigerabfall größer als 2 ()

Gelb: Hohe Werte ohne Zeigerabfall
Werte über 70 ()

Blau: Niedrige Werte
Werte kleiner als 50 ()

Grün: Normalwerte
Werte zwischen 50 und 70 (100%)

BESA-Basismessung:

+++: Zeigerabfall > 15 Skt.
++: Zeigerabfall 6-15 Skt.
+: Zeigerabfall 3-5 Skt.

T: Totale Entzündung (89 Skt.)
P: Partielle Entzündung (70-89 Skt.)

D: Degeneration (< 50 Skt.)
Normalwerte: (50-70 Skt.)

Element: Lu - Ha - Di - BD

0 10 20 30 40 50 60 70 80 90 100		Rechts	Links
	Lunge		
	Lu 1 (11.) Parenchym	51/1	51/0
	Haut		
	Ha 1 (1.) Unterkörper	52/0	51/0
	Dickdarm		
	Di 1 (1.) Colon transv./sigm.	61/0	52/0
	Bindegewebsdeg.		
	BD 1 (1.) Bauch	52/0	52/1

Element: Ma - ND - PM - OD

0 10 20 30 40 50 60 70 80 90 100		Rechts	Links
	Magen		
	Ma 1 (45.) Pylorus/Körper	52/0	51/0
	Nervendeg.		
	ND 1 (1.) Lumb./Sakral.	54/1	56/2
	Pankreas-Milz		
	PM 1 (1.) Eiw./w.Pulpa	53/0	52/0
	Organdeg.		
	OD 1 (1.) Bauchr./Becken	52/0	53/0

Element: Bl - Ly - Ni - Al

0 10 20 30 40 50 60 70 80 90 100		Rechts	Links
	Blase		
	Bl 1 (67.) Körper	51/0	52/1

International professional association for BESA ▌ ZVR Nr. 975047937
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee ▌ Österreich - Austria
Tel.: +43 – 664 – 73152899 ▌ E-Mail: info@ifvbesa.at

BESA-Basismessung:

+++: Zeigerabfall > 15 Skt.
++: Zeigerabfall 6-15 Skt.
+: Zeigerabfall 3-5 Skt.
T: Totale Entzündung (89 Skt.)
P: Partielle Entzündung (70-89 Skt.)
D: Degeneration (< 50 Skt.)
Normalwerte: (50-70 Skt.)

Element: Bl - Ly - Ni - Al

	Rechts	Links
Lymphe		
 Ly 1 (1.) Tons.Palat.	50/1	52/0
Niere		
 Ni 1 (1.) Becken	51/0	52/0
Allergie		
Al 1 (1.) unt.Körperab.	53/0	53/1

Element: Gbl - GD - Le - fD

	Rechts	Links
Gallenblase		
Gbl 1 (44.) Duct.choled./hep.	52/0	53/0
Gelenkdeg.		
 GD 1 (1.) unt.Extrem.	52/1	53/0
Leber		
 Le 1 (1.) Zentralvenen	52/0	53/0
fettige Deg.		
 fD 1 (1.) Bauchraum	51/0	52/0

Element: He - Dü

	Rechts	Links
Herz		
He 1 (9.) Pulm.kl./Aortenkl.	53/1	52/1
Dünndarm		
Dü 1 (1.) Ileum	54/0	52/0

Element: Kr - 3E

	Rechts	Links
Kreislauf		
 Kr 1 (9.) SMP Arterien	54/0	54/0
Endokrinum		
 3E 1 (1.) Keimdr./NNI	54/0	55/0

International professional association for BESA ▌ZVR Nr. 975047937
Hauptstraße 1, A 4861 Kammer-Schörfling am Attersee ▌Österreich - Austria
Tel.: +43 – 664 – 73152899 ▌E-Mail: info@ifvbesa.at

All masurement at a glance



Basic



All Foods + Test object



frozen organic Scampi



still Water



China pan (ready meal)

General information about the test result

Man represents a kind of receiving antenna for environmental information. This is because human life depends fundamentally and exclusively on environmental information. Our organism is biologically very sensitive where natural information (fields) are located or where this natural information is subject to interactions and fluctuations. **For this reason, detected informative electromagnetic interference fields are biologically highly relevant. Any reduction or transformation of these interfering fields (ideally to 100 percent) is biologically very important, often even vital.** These informational disturbances from our environment are only compatible with life if they can be readjusted to a natural fluctuation tolerance. Disturbances, problems, blockades, disharmonies in the biological control circuit of man find their causes in such disturbing electromagnetic information influences.

General information about the metabolic type of the test person:

This subject reacts completely differently to the tested foods than all other subjects. This is due to his energetic and physical signature.
Like the previous BESA projects, this BESA detail project raises the question, what is the background to the prevailing food intolerances? To what does our immune system (immune globulins) actually react?
Is it the food per se or the ingredients that denature (poison) the food, which should be a food? In the overall P50 project, the main question was: Is the test object capable of neutralizing toxic stress factors in food?

Such effects and impacts could be demonstrated in this detailed project P50 3.0.3 via the test object.

The test object tested in this project was able to neutralize the biologically adverse effects and effects on the test person compared to the foodstuffs tested.

The decisive ability of the test object to neutralize and harmonize the bioenergetic stress factors tested in this detail project P50 3.0.3 via the foodstuffs and their transformation into biological life-promoting goodness is proven with this project.

Authorized Summary

The BESA tests carried out by IFVBESA on the energetic and physical effectiveness of the test object have clearly shown that it is able to neutralize or harmonize biologically significant stress factors on the tested foodstuffs with respect to the meridians or the acupuncture points of the test person.

Via the bioenergetic system analysis, the effect of the above-mentioned stress factors on the test persons, their meridian systems and their energetic-biological control

circuits was scrutinized and systemically tested on the energetic level. The BESA tests BEFORE - AFTER show significant changes at the tested acupuncture points at the meridian system of the test persons. The measurement data as well as their key figures impressively confirm, on the one hand, the stresses caused by the tested foodstuffs on the human organism and, on the other hand, clarify how, after application of the test object, the deregulating energies are transformed into biocompatible energies.

From the holistic point of view, it may be assumed that the positive effect on the test subjects also occurs in other people. That the positive influence by the test object is actually possible with high precision is clearly shown by this test through the BESA-PRE-AFTER-NAfter comparison. All measured values improved significantly from the mostly 100-percent blue measuring range into the green mostly 50-second range (scale value), i.e. the range of optimal measured values. This means: an optimal regulation dynamic has taken place. Here, in the sense of the IFVBESA, one can clearly speak of an optimal, significant improvement of the body's own energy situation.

Result: The test persons were brought into contact with the loaded food during the BESA-AFTER testing. In contrast to the BEFORE tests, in which the test object was not used, positive measurement results were found throughout, indicating that neutralization or harmonization had taken place. The regulation dynamics developed into an optimal effective range.

Even the application of the stressing influences by the mentioned food in total on the test person resulted in its optimal neutralization or harmonization.

By proving the energetic effectiveness of the test object in this detailed project P50 3.0.3, the requirements for obtaining a BESA seal of approval by the International Professional Association for BESA were met.